

Revised October 5, 2018

Note: This draft includes the changes made through the September 25, 2018 meeting of the Planning Board. It inserts the columns for the WRP and WRP-25 Districts as revised to the Table of Uses. It also includes first drafts of the development standards for the WRP and WRP-25 Districts.

Formatted: Font: Italic

SECTION 7 ZONING DISTRICTS, ZONING MAPS, AND STANDARDS

This section sets out the standards that govern development and the use of land within each of the land use or zoning districts within the Town. The location of the various land use or zoning districts is shown on the Official Zoning Map. The district standards are the core or basic standards with which all activities must comply. In addition to these district standards, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10. Certain uses and activities must also comply with Performance Standards for Specific Uses of Section 11.

7.1 Establishment of Districts

The Town of Boothbay is divided into the following land use or zoning districts. The land use and development standards for each of these districts are set out in the sections below. These standards govern the establishment of new uses and activities as well as the construction and expansion of buildings and related facilities for conforming activities. In some case there are existing uses and buildings that do not conform to these standards. These nonconforming situations are governed by the provisions of Section 6.

7.1.1 Residential Districts

The following districts primarily allow residential and community uses but some commercial uses are also allowed:

7.1.1.1 Residential District (R)

7.1.1.2 Coastal Residential District (R-C)

7.1.2 Mixed Use Districts

The following districts allow residential, community, and a variety of commercial uses:

7.1.2.1 Boothbay Village Center District (BVC)

7.1.2.2 Boothbay Village Fringe District (BVF)

7.1.2.3 Boothbay Village Mixed-Use District (BVMU)

7.1.2.4 East Boothbay Village District (EBV)

7.1.2.4 Scenic Gateway District (SG)

7.1.2.5 Rural Mixed-Use District (RMU)

7.1.3 Commercial – Industrial Districts

The following districts primarily allow commercial, industrial, and community uses but residential uses are also allowed in some of the districts:

7.1.3.1 Commercial Corridor District (CC)

7.1.3.2 Manufacturing/Business District (MB)

7.1.3.3 Marine Commercial District (MC)

7.1.4 Natural Resource Districts

The following uses are intended to provide protection to significant natural resources in the community:

7.1.4.1 Resource Protection District (RP)

7.1.4.2 Water Reservoirs Protection District – Route 27 (WRP-27)

7.1.4.3 Water Reservoirs Protection District (WRP)

7.1.4.4 Wellhead Protection District (WP)

7.1.5 Overlay Districts

The following districts establish supplemental standards that apply to development and land use activities within the overlay district in addition to the standards of the underlying district:

7.1.5.1 Shoreland Overlay District (SO)

7.1.5.2 Watershed Protection Overlay District (WPO)

7.1.6 Contract Zones

The following special district was established as a contract zone subject to specific standards that apply only to that district:

7.1.6.1 Bigelow Laboratory District (BL)

7.2 Location of Districts – Zoning Map

The various land use or zoning districts are located and bounded as shown on the Official Zoning Map, entitled “Zoning Map of the Town of Boothbay, Maine” dated _____, 2018 or as most recently amended, and on file in the office of the Town Clerk. The Official Map shall be signed by the Town Clerk and Chairman of the Planning Board at the time of adoption or amendment of this Ordinance certifying the date of such adoption or amendment.

Formatted: Highlight

7.2.1 The boundary lines shown on the Official Zoning Map are Town lines, property lines, and the centerlines of roads and non-vehicular rights-of-way except where otherwise specifically described.

Formatted: Justified

7.2.2 Boundaries which are indicated as following shorelines of ponds and saltwater bodies, streams, outlet streams, tributary streams and the upland edge of wetlands

shall be construed to follow such shorelines, streams and edges as they exist on the ground. In the event of change in the shoreline, stream or edge, the boundaries shall be construed as moving with the actual shoreline, stream or edge.

7.2.3 Boundaries indicated as being parallel to, or extensions of, features indicated in Sections 7.2.1 and 7.2.2 shall be so construed.

7.2.4 The scale of the map shall determine distances not specifically indicated on the Official Zoning Map.

7.2.5 Where any textual description of a Zoning District is in conflict with the Official Zoning Map as to the boundaries of a Zoning District, the boundary as shown on the official zoning maps shall be used. However where the textual description of an overlay zone is in conflict with the Official Zoning Map as to the location of the overlay district, the boundary in the textual description shall be used.

7.2.6 The boundary of the Water Reservoirs Protection (WPR) District and the Watershed Protection Overlay (WPO) District is the combined boundaries of the watersheds of Adams Pond and the Knickerbocker Lakes as of January 1, 2019 as depicted on a map of the watersheds prepared by the Boothbay Regional Water District dated _____. The boundary of the districts shall not move as a result of alterations to the topography or drainage patterns.

7.3 Uncertainty as to the of Location of Boundaries

7.3.1 Where physical or cultural features existing on the ground vary from those shown on the official zoning maps, or where other circumstances not covered by Section 7.2 exist, or where there is other uncertainty about the location of a district boundary, the Board of Appeals shall interpret the location of the district boundary. The interpretation of the Board of Appeals shall be the final Town authority as to location of the boundaries.

7.4 Boundaries Based on Natural Resources

7.4.1 Where a zoning district boundary line is intended to be a natural resource such as a stream, wetland, or watershed divide or a line parallel or offset from such resource, the location of the boundary on the ground shall be determined by the actual physical location of the resource as determined by the Code Enforcement Officer. Where there is uncertainty as to the location of the resource or the district boundary, the Code Enforcement Officer may require an applicant to provide a determination of the location of the resource on the ground. Such determination shall be prepared by a competent professional such as a surveyor, soils scientist, or wetlands scientist as appropriate.

7.5 District Standards

This section establishes the standards that govern development and the use of land within each of the land use or zoning districts set out in Section 7.1. The district standards are the core or basic standards with which all activities must comply.

Formatted: Justified

Formatted: Justified, Space After: 6 pt

Formatted: Justified

7.5.1 Residential District (R)

7.5.1.1 PURPOSE (R)

The Residential District is intended to continue to allow a moderate amount of residential development in these areas together with rural and community uses and a limited amount of nonresidential activity that is compatible with residential uses. New housing can be a variety of types and prices to meet the needs of a diverse population. The standards assure that new developments are well designed so they are positive additions to the community.

7.5.1.2 ALLOWED USES (R)

The uses allowed in the Residential (R) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5. A portion of the R District is located within the watersheds of Adams Pond and the Knickerbocker Lakes and is therefore subject to the provisions of the Watershed Protection Overlay (WPO) District. These provisions modify the allowed uses shown in the Table of Land Uses.

7.5.1.3 SPACE AND BULK STANDARDS (R)

| | | |
|-------------------|--|--|
| 7.5.1.3.1 | Minimum developable lot area | 40,000 SF |
| 7.5.1.3.2 | Minimum net developable lot area per dwelling unit | 40,000 SF |
| 7.5.1.3.3 | Minimum lot width | 150 feet |
| 7.5.1.3.4 | Minimum road setback | State - 50 feet Town - 33 feet Private way - 8 feet from the closest edge of the R-O-W |
| 7.5.1.3.5 | Maximum road setback | None |
| 7.5.1.3.6 | Minimum side property line setback | 20 feet |
| 7.5.1.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.1.3.8 | Maximum building height | 34 feet |
| 7.5.1.3.9 | Minimum building height | None |
| 7.5.1.3.10 | Maximum impervious surface area | 30% |
| 7.5.1.3.11 | Minimum shoreland setback | Great ponds & associated wetlands - 100 feet Other resources - 75 feet |
| 7.5.1.3.12 | Minimum shoreland frontage - tidal | Residential - 150 feet Nonresidential - 200 feet |
| 7.5.1.3.13 | Minimum shoreland frontage - non-tidal | Residential - 200 feet Nonresidential - 300 |

Formatted: Left

| | |
|--|------|
| | feet |
|--|------|

7.5.1.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (R)

Uses in the R District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.1.4.1 A dwelling unit with one bedroom in a two-family or multifamily dwelling or in a mixed use building shall be considered as two-thirds of a dwelling unit for purposes of the minimum lot area requirements as long as the dwelling unit has less than eight hundred (800) square feet of floor area.

Formatted: Font: 8 pt
Formatted: Space After: 6 pt

7.5.1.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (R)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.1.6 OTHER PERFORMANCE STANDARDS (R)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.2 Coastal Residential District (R-C)

7.5.2.1 PURPOSE (R-C)

The Coastal Residential District is intended to be an interim land use control that allows limited development in coastal areas until the Town is able to undertake and complete a detailed groundwater study to better understand the capability of these areas to support additional building without adversely impacting both the quality and quantity of the groundwater and revise the ordinances appropriately. The standards allow a moderate amount of residential development in these areas together with rural and community uses and a limited amount of nonresidential activity that is compatible with residential uses. The standards address the management of water use and stormwater to reduce potential impacts on the groundwater.

7.5.2.2 ALLOWED USES (R-C)

The uses allowed in the Coastal Residential (R-C) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5.

7.5.2.3 SPACE AND BULK STANDARDS (R-C)

| | | |
|-----------|--|---|
| 7.5.2.3.1 | Minimum developable lot area | Existing lots of record and new residential lots that are not part of a subdivision that are used for a single-family home – 60,000 SF All other lots and uses – see 7.5.2.4.1 and 7.5.2.4.2 |
| 7.5.2.3.2 | Minimum net developable lot area per dwelling unit | Existing lots of record and new residential lots that are not part of a subdivision that are used for a single-family home– 60,000 SF All other lots and uses– see 7.5.2.4.1 and 7.5.2.4.2 |
| 7.5.2.3.3 | Minimum lot width | 150 feet |
| 7.5.2.3.4 | Minimum road setback | State - 50 feet Town – 33 feet Private way – 8 feet |

| | | |
|-------------------|--|---|
| | | from the closest edge of the R-O-W |
| 7.5.2.3.5 | Maximum road setback | None |
| 7.5.2.3.6 | Minimum side property line setback | 20 feet |
| 7.5.2.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.2.3.8 | Maximum building height | 34 feet |
| 7.5.2.3.9 | Minimum building height | None |
| 7.5.2.3.10 | Maximum impervious surface area | 20% |
| 7.5.2.3.11 | Minimum shoreland setback | Great ponds & associated wetlands – 100 feet Other resources – 75 feet |
| 7.5.2.3.12 | Minimum shoreland frontage - tidal | Residential – 150 feet Nonresidential – 200 feet |
| 7.5.2.3.13 | Minimum shoreland frontage – non-tidal | Residential – 200 feet Nonresidential – 300 feet |

7.5.2.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (R-C)

Uses in the R-C District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.2.4.1 Except for single-family homes on existing lots of record or new residential lots that are not part of a subdivision, single-family homes on lots in subdivisions approved after the date of adoption of this section and all new or expanded two-family dwellings, multifamily dwellings, or other residential or nonresidential uses that use an on-site water supply for any portion of the year must be located on a lot that has a minimum of thirty thousand (30,000) square feet of net developable lot area for every one hundred (100) gallons per day of sewage flow based on the State of Maine Subsurface Disposal Rules.

7.5.2.4.2 Except for single-family homes on existing lots of record or new residential lots that are not part of a subdivision, single-family homes on lots in subdivisions approved after the date of adoption of this section and all new or expanded two-family dwellings or multifamily dwellings or other residential or nonresidential uses that use public water year-round must be located on a lot that has a minimum of forty thousand (40,000) square feet of net developable lot area and a minimum of forty thousand (40,000) square feet of net developable lot area per dwelling unit.

7.5.2.4.3 A dwelling unit with one bedroom in a two-family or multifamily dwelling or in a mixed use building shall be considered as two-thirds of a dwelling unit for purposes of the minimum lot area requirements as long as the dwelling unit has less than eight hundred (800) square feet of floor area.

Formatted: Space After: 6 pt

7.5.2.4.4 A new residential or nonresidential use must connect to the public water system (either year-round or seasonal) if a water main with adequate capacity to serve the use is available within three hundred (300) feet of the nearest point on the lot as measured along public or private streets or utility easements.

7.5.2.4.5 An existing building or use that is located on a lot with less than sixty thousand (60,000) square feet of developable lot area that uses an on-site water supply for any portion of the year cannot be altered in a manner that increases its potential groundwater use. This determination shall be based on the design sewage flows set forth in the State of Maine Subsurface Disposal Rules. In assessing the potential use of groundwater, the Code Enforcement Officer or Planning Board may take into account changes that will reduce the existing use of groundwater.

7.5.2.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (R-C)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.2.6 OTHER PERFORMANCE STANDARDS (R-C)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.3 Boothbay Village Center District (BVC)

7.5.3.1 PURPOSE (BVC)

The Boothbay Village Center District is intended to facilitate the evolution of the area around the Common and along Route 27 toward Boothbay Harbor into a true community center while enhancing its character as a New England village center. Traffic flow around the Common is improved and facilities for parking and pedestrians and bicyclists are upgraded making this more of a pedestrian area and linking the Common to adjacent residential areas. The Boothbay Village Center continues to be the public heart of the community and is increasingly used for community activities. Over time, the buildings in the Village Center are improved and limited new development occurs that reinforces the role of the Common Area as the community center.

Formatted: Space After: 6 pt

7.5.3.2 ALLOWED USES (BVC)

The uses allowed in the Boothbay Village Center (BVC) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5. A portion of the BVC District is located within the watersheds of Adams Pond and the Knickerbocker Lakes and is therefore subject to the provisions of the Watershed Protection Overlay (WPO) District. These provisions modify the allowed uses shown in the Table of Land Uses.

Formatted: Space After: 6 pt

7.5.3.3 SPACE AND BULK STANDARDS (BVC)

| | | |
|------------------|--|---|
| 7.5.3.3.1 | Minimum developable lot area | Residential – 20,000 SF or 6,000 SF with public sewer and year-round public water – Nonresidential – 10,000 SF |
| 7.5.3.3.2 | Minimum net developable lot area per dwelling unit | 20,000 SF or 6,000 SF with public sewer and year-round public water |
| 7.5.3.3.3 | Minimum lot width | Residential– 100 feet or 60 feet with public sewer and year-round public water Nonresidential – 75 feet |
| 7.5.3.3.4 | Minimum road setback | 10 feet from property line (see Section 7.5.3.4.3) |
| 7.5.3.3.5 | Maximum road setback | 25 feet from property |

Formatted: Highlight

Formatted: Font: Not Bold, Font color: Text 1

Formatted: Highlight

Formatted: Highlight

| | | |
|------------|------------------------------------|--|
| | | line (see Section 7.5.3.4.4) |
| 7.5.3.3.6 | Minimum side property line setback | 10 feet |
| 7.5.3.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.3.3.8 | Maximum building height | 34 feet – The maximum height for nonresidential or mixed-use buildings may be up to 45 feet in accordance with 7.5.3.10. |
| 7.5.3.3.9 | Minimum building height | 2 usable stories or 24 feet |
| 7.5.3.3.10 | Maximum impervious surface area | 60% |

Formatted: Font: Not Bold

Formatted: Highlight

7.5.3.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (BVC)

Formatted: Space After: 6 pt

Uses in the BVC District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.3.4.1 Single-family homes that are served by public sewer and year-round public water may be located on lots with a minimum developable lot area of at least 6,000 square feet and a minimum of sixty (60) feet of road frontage.

Formatted: Space After: 6 pt

7.5.3.4.2 Except for one-bedroom units with less than eight hundred (800) square feet of floor area, a dwelling unit in a two-family or multifamily dwelling or in a mixed-use building that is served by public sewer and year-round public water shall be allowed at a density of one dwelling unit per 6,000 square feet of net developable lot area. A dwelling unit with one bedroom in a two-family or multifamily dwelling or in a mixed use building that is served by public sewer and year-round public water shall be allowed at a density of one dwelling unit per 4,000 square feet of net developable lot area as long as the dwelling unit has less than eight hundred (800) square feet of floor area.

7.5.3.4.3 New buildings shall be located close to road. As part of the review of a project, the Planning Board may allow a building to be located closer to the front property line if the distance from the edge of the paved travel way is more than twenty-five from the required front setback line.

7.5.3.4.4 As part of the review of a project, the Planning Board may allow a building to be located further from the front property line if one of the following conditions is met:

7.5.3.4.4.1 The shape or physical condition of the portion of the parcel close to the road makes construction of the building in this area unreasonable, or

7.5.3.4.4.2 The new building will be located behind a building that is close to the front property line.

7.5.3.4.5 Buildings must have a minimum of two usable stories unless the Planning Board finds that a multistory building is not appropriate for the proposed use or the proposed site. If the Planning Board allows a one story building the building shall be designed so that the front façade facing the primary road frontage appears to be a multistory building through the use of architectural features such as dormers, roof lines, or parapets.

7.5.3.4.6 New buildings and expansions of existing buildings that increase the gross floor area by more than fifty percent (50%) shall be designed in a manner that reinforces the New England village character of the district. This shall include the use where practical of pitched or shed roofs, traditional siding or materials that simulate traditional siding, and windows with a vertical orientation in which the height exceeds the width of the window.

7.5.3.4.7 Buildings must be designed so that the main entrance is located and designed to promote pedestrian movement. If there is a sidewalk or other pedestrian way along the frontage of the lot, there must be a pedestrian connection between the sidewalk and the main entrance of the building.

7.5.3.4.8 The space between the road right-of-way and the front wall of the building must be maintained as a lawn or landscaped area or as a pedestrian environment. No vehicular or service facilities or areas shall be located in this area.

7.5.3.4.9 Parking and service areas must be located to the side or rear of the principal building. No parking shall be permitted in area in front of the front wall of the principal building for the full width of the lot.

7.5.3.4.10 The maximum building height for a nonresidential or mixed-use building may exceed thirty-four (34) feet up to a maximum of forty-five (45) feet if all of the following are met:

7.5.3.4.10.1 The increased height of the building is approved in writing by the Fire Chief; and

7.5.3.4.10.2 The area of the building above thirty-four (34) feet is not habitable space; and

7.5.3.4.10.3 The building will setback from all side and rear property lines a minimum of thirty (30) feet.

7.5.3.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (BVC)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.3.6 OTHER PERFORMANCE STANDARDS (BVC)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

Formatted: Space After: 6 pt

Formatted: Indent: Left: 1"

7.5.4 Boothbay Village Fringe District (BVF)

7.5.4.1 PURPOSE (BVF)

The Boothbay Village Fringe District is intended to accommodate a variety of housing and compatible non-residential uses that can be served by the public sewer system and year-round public water. While there are constraints to development in this area, the district provides the private sector the opportunity to find creative approaches for developing a limited amount of higher density housing and appropriate commercial uses that are served by public sewerage and year-round public water that is provided at the developer’s expense. The new residential areas have a pedestrian-friendly village character. To complement this development, the Town works to enhance pedestrian and bicycle facilities to link this new housing to the Boothbay Village Center.

7.5.4.2 ALLOWED USES (BVF)

The uses allowed in the Boothbay Village Fringe (BVF) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5. A portion of the BVF District is located within the watersheds of Adams Pond and the Knickerbocker Lakes and is therefore subject to the provisions of the Watershed Protection Overlay (WPO) District. These provisions modify the allowed uses shown in the Table of Land Uses.

Formatted: Space After: 6 pt

7.5.4.3 SPACE AND BULK STANDARDS (BVF)

| | | |
|------------------|--|--|
| 7.5.4.3.1 | Minimum developable lot area | Residential – 20,000 SF or 4,000 SF with public sewer and year-round public water – Nonresidential – 10,000 SF |
| 7.5.4.3.2 | Minimum net developable lot area per dwelling unit | 20,000 SF or 4,000 SF with public sewer and year-round public water |
| 7.5.4.3.3 | Minimum lot width | Residential – 100 feet or 60 feet with public sewer and year-round public water Nonresidential – 100 feet |
| 7.5.4.3.4 | Minimum road setback | State - 50 feet Town – 33 feet Private way – 8 feet from the closest edge |

| | | of the R-O-W |
|-------------------|------------------------------------|--------------|
| 7.5.4.3.5 | Maximum road setback | None |
| 7.5.4.3.6 | Minimum side property line setback | 10 feet |
| 7.5.4.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.4.3.8 | Maximum building height | 34 feet |
| 7.5.4.3.9 | Minimum building height | None |
| 7.5.4.3.10 | Maximum impervious surface area | 50% |

7.5.4.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (BVF)

Uses in the BVF District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.4.4.1 The creation of new residential lots fronting on Country Club Road is prohibited unless the Planning Board finds that the size, shape or physical characteristics of the site make this layout the most reasonable alternative. New residential lots should have their road frontage and vehicular access from interior roads when feasible.

7.5.4.4.2 Single-family homes that are served by public sewer and year-round public water may be located on lots with a minimum developable lot area of at least four thousand (4,000) square feet and a minimum of sixty (60) feet of road frontage.

7.5.4.4.3 Except for one-bedroom units with less than eight hundred (800) square feet of floor area, a dwelling unit in a two-family or multifamily dwelling or in a mixed-use building that is served by public sewer and year-round public water shall be allowed at a density of one dwelling unit per four thousand (4,000) square feet of net developable lot area. A dwelling unit with one bedroom in a two-family or multifamily dwelling or in a mixed use building that is served by public sewer and year-round public water shall be allowed at a density of one dwelling unit per two thousand five hundred (2,500) square feet of net developable lot area as long as the dwelling unit has less than eight hundred (800) square feet of floor area.

7.5.4.4.4 Residential subdivisions and developments with multiunit housing should be developed as planned developments in accordance with the provisions of _____.

7.5.4.4.5 Any new nonresidential use with frontage on Country Club Road must establish and maintain a vegetated buffer strip at least fifteen (15) feet in width along the Country Club Road frontage. The buffer strip shall meet the requirements of _____.

7.5.4.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (BVF)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

Formatted: Space After: 6 pt

Formatted: Space After: 6 pt

Formatted: Font: Bold

7.5.4.6 OTHER PERFORMANCE STANDARDS (BVF)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.5 Boothbay Village Mixed-Use District (BVMU)

7.5.5.1 PURPOSE (BVMU)

The Boothbay Village Mixed-Use District is intended to allow the portion of the Route 27 corridor on the northerly approach to the Boothbay Village Center to evolve into an attractive gateway to the Village Center while it continues to be an area with a mix of uses including auto-orientated uses that are not appropriate in the Village Center. Over time, uses that involve the handling or storage of petroleum or other chemicals are phased out, and the visual environment of this portion of the corridor improves as do provisions for access and stormwater management. Since much of this area has access to the public sewer system and is served by year-round public water, a variety of higher density housing is allowed potentially increasing the range of housing options available in Boothbay.

7.5.5.2 ALLOWED USES (BVMU)

The uses allowed in the Boothbay Village Mixed-Use (BVMU) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5. A portion of the BVMU District is located within the watersheds of Adams Pond and the Knickerbocker Lakes and is therefore subject to the provisions of the Watershed Protection Overlay (WPO) District. These provisions modify the allowed uses shown in the Table of Land Uses.

7.5.5.3 SPACE AND BULK STANDARDS (BVMU)

| | | |
|------------------|--|---|
| 7.5.5.3.1 | Minimum developable lot area | Residential – 30,000 SF or 7,500 SF with public sewer and year-round public water – Nonresidential – 20,000 SF or 10,000 SF with public sewer and year-round public water |
| 7.5.5.3.2 | Minimum net developable lot area per dwelling unit | 30,000 SF or 7,500 SF with public sewer and year-round public water |
| 7.5.5.3.3 | Minimum lot width | 100 feet |
| 7.5.5.3.4 | Minimum road setback | State - 50 feet Town – 33 feet Private way – 8 feet from the closest edge of the R-O-W |
| 7.5.5.3.5 | Maximum road setback | None |

| | | |
|-------------------|------------------------------------|---------|
| 7.5.5.3.6 | Minimum side property line setback | 10 feet |
| 7.5.5.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.5.3.8 | Maximum building height | 34 feet |
| 7.5.5.3.9 | Minimum building height | None |
| 7.5.5.3.10 | Maximum impervious surface area | 50% |

7.5.5.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (BVMU)

Uses in the BVMU District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.5.4.1 Single-family homes that are served by public sewer and year-round public water may be located on lots with a minimum developable lot area of at least seven thousand five hundred (7,500) square feet and a minimum of one hundred (100) feet of road frontage.

Formatted: Font: Bold

7.5.5.4.2 Except for one-bedroom units with less than eight hundred (800) square feet of floor area, a dwelling unit in a two-family or multifamily dwelling or in a mixed-use building that is served by public sewer and year-round public water shall be allowed at a density of one dwelling unit per seven thousand five hundred (7,500) square feet of net developable lot area. A dwelling unit with one bedroom in a two-family or multifamily dwelling or in a mixed use building that is served by public sewer and year-round public water shall be allowed at a density of one dwelling unit per five thousand (5,000) square feet of net developable lot area as long as the dwelling unit has less than eight hundred (800) square feet of floor area.

7.5.5.4.3 Any multifamily residential use or nonresidential use that is served by a subsurface wastewater disposal system shall be limited to a maximum sewage flow of three hundred (300) gallons per day based on the design sewage flows set forth in the State of Maine rules for subsurface wastewater sewage disposal systems.

Formatted: Font: Not Bold

Formatted: Font: Not Bold

Formatted: Font: Not Bold

7.5.5.4.4 Any new nonresidential use with frontage on Route 27 must establish and maintain a landscaped buffer strip at least ten (10) feet in width along the Route 27 frontage. The buffer strip shall meet the requirements of _____.

7.5.5.4.5 Parking for nonresidential uses must be located to the side or rear of the principal building unless the Planning Board finds that this is not a reasonable requirement given the size, shape or physical characteristics of the site. If the Planning Board allows parking in front of the principal building, it must be designed to prevent the need to back into the road.

7.5.5.4.6 Notwithstanding the allowed uses listed in the Table of Land Uses in Section 7.6, no new uses shall be permitted in the district that handle or store commercial volumes of materials that have the potential for contaminating the groundwater including fuels, chemicals, or solvents. For the purpose of this provision, commercial volume shall mean a volume greater than that normally stored or used on a similar sized premise for routine building operation and maintenance.

7.5.5.4.7 Any existing use that handles or uses commercial volumes of materials that have the potential for contaminating the groundwater including fuels, chemicals, and solvents must provide for the safe handling and storage of these materials if any enlargement or change in the use is proposed in accordance with the provisions of the Watershed Overlay District.

7.5.5.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (BVMU)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.5.6 OTHER PERFORMANCE STANDARDS (BVMU)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.6 East Boothbay Village District (EBV)

7.5.6.1 PURPOSE (EBV)

The East Boothbay Village District is intended to allow East Boothbay to continue to evolve as a classic marine village with a mix of uses such as residential uses, small-scale retail, office, and service uses, and smaller-scale marine uses. Facilities for pedestrians and bicyclists are upgraded making this more of a pedestrian area and linking East Boothbay to Ocean Point and to the remainder of the peninsula. East Boothbay Village continues to be the heart of the East Boothbay community and is increasingly used for community activities. Over time, the buildings in the Village are improved and limited new development occurs that reinforces the role of the East Boothbay as a traditional marine village while protecting established residential uses.

7.5.6.2 ALLOWED USES (EBV)

The uses allowed in the East Boothbay Village (EBV) District are shown in the Table of Land Uses in Section 7.6. Retail and restaurant uses are allowed only on lots with frontage on Ocean Point Road and School Street. Commercial uses allowed in the district are limited to a maximum of two-thousand five hundred (2,500) square feet of gross floor area unless the Planning Board determines that a larger occupancy will be compatible with and contribute to a pedestrian focused village environment. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5.

7.5.6.3 SPACE AND BULK STANDARDS (EBV)

| | | |
|------------------|--|---|
| 7.5.6.3.1 | Minimum developable lot area | Residential - 20,000 SF Nonresidential - 20,000 SF |
| 7.5.6.3.2 | Minimum net developable lot area per dwelling unit | 20,000 SF – See 7.5.6.4.1 |
| 7.5.6.3.3 | Minimum lot width | 50 feet |
| 7.5.6.3.4 | Minimum road setback | 10 feet from property line |
| 7.5.6.3.5 | Maximum road setback | See 7.5.6.4.2 |
| 7.5.6.3.6 | Minimum side property line setback | 10 feet |
| 7.5.6.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.6.3.8 | Maximum building height | 34 feet – The maximum height for nonresidential or mixed-use buildings may be up to 45 feet in accordance with 7.5.6.4.8. |
| 7.5.6.3.9 | Minimum building height | None |

Formatted: Font: Not Bold

| | | |
|-------------------|--|---|
| 7.5.6.3.10 | Maximum impervious surface area | 40% |
| 7.5.6.3.11 | Minimum shoreland setback | Great ponds & associated wetlands – 100 feet Other resources – 50 feet |
| 7.5.6.3.12 | Minimum shoreland frontage - tidal | Residential – 100 feet Nonresidential – 100 feet |
| 7.5.6.3.13 | Minimum shoreland frontage – non-tidal | Residential – 100 feet Nonresidential – 100 feet |

7.5.6.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (EBV)

Uses in the EBV District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.6.4.1 Buildings in existence on the date of the adoption of this section may fully utilize the gross habitable floor area of the building existing as of that date for residential uses or a mixed of residential and commercial uses without needing to meet the minimum lot area requirements of 7.5.6.3.1 and 7.5.6.3.2 provided that the sewage disposal system conforms to state requirements for the proposed occupancy. In addition the use must meet the parking requirements.

7.5.6.4.2 New buildings or modifications to existing buildings that increase the gross floor area by more than fifty percent (50%) shall be sited to maintain the established pattern of setbacks existing on the same side of the street for up to three lots in either direction to the extent feasible with the reasonable use of the site.

7.5.6.4.3 New buildings and expansions of existing buildings that increase the gross floor area by more than fifty percent (50%) shall be designed in a manner that reinforces the New England village character of the district. This shall include the use where practical of pitched or shed roofs, traditional siding or materials that simulate traditional siding and windows with a vertical orientation in which the height exceeds the width of the window.

7.5.6.4.4 Nonresidential buildings must be designed so that the main entrance is located and designed to promote pedestrian movement. If there is a sidewalk or other pedestrian way along the frontage of the lot, there must be a pedestrian connection between the sidewalk and the main entrance of the building.

7.5.6.4.5 The space between the road right-of-way and the front wall of the building must be maintained as a lawn or landscaped area or as a pedestrian environment. No vehicular or service facilities or areas shall be located in this area.

7.5.6.4.6 Parking and service areas must be located to the side or rear of the principal building. No parking shall be permitted in area in front of the front wall of the principal building for the full width of the lot.

7.5.6.4.7 Any proposal or the establishment or expansion of maritime activities must prepare and submit as part of their application for approval a neighborhood mitigation plan that documents how the facility will be designed and operated to minimize the adverse impacts on adjacent residential properties. This plan must address traffic and parking, buffering, and nuisance considerations including noise, exterior lighting, dust and fumes.

7.5.6.4.8 The maximum building height for a nonresidential or mixed-use building may exceed thirty-four (34) feet up to a maximum of forty-five (45) feet if all of the following are met:

7.5.6.4.8.1 The increased height of the building is approved in writing by the Fire Chief; and

7.5.6.4.8.2 The area of the building above thirty-four (34) feet is not habitable space; and

7.5.6.4.8.3 The building will setback from all side and rear property lines a minimum of twenty (20) feet.

7.5.6.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (EBV)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.6.6 OTHER PERFORMANCE STANDARDS (EBV)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.7 Scenic Gateway District (SG)

7.5.7.1 PURPOSE (SG)

Formatted: Space After: 6 pt

The Scenic Gateway District is intended to manage development in the Route 27 corridor from the Edgcomb town line to the intersection with Hardwick Road so that it continues to be an attractive and scenic entrance to Boothbay and the Boothbay-Boothbay Harbor region while the Route 96 corridor from the Boothbay Harbor town line to the intersection with Ship Builder Lane continues to provide separation between East Boothbay village and the commercial development in Boothbay Harbor and reinforces East Boothbay's image as a traditional coastal village. This corridor continues to be an attractive and scenic entrance to East Boothbay and Ocean Point. The character of these two portions of these corridors continues to appear to be primarily rural and undeveloped. New buildings have a small, rural character and are well set back from the road. A vegetated buffer is maintained along the road to enhance the visual character of the roadway and to soften the appearance of buildings that are visible from the road.

7.5.7.2 ALLOWED USES (SG)

Formatted: Space After: 6 pt

The uses allowed in the Scenic Gateway (SG) District are shown in the Table of Land Uses in Section 7.6. Allowed retail, restaurant, office and service uses are limited to a maximum of five thousand (5,000) square feet of gross floor area unless the Planning Board as part of the approval process determines that a larger building can be designed and sited to maintain the rural, scenic character of the corridor. Allowed uses indicated with an asterisk in the Table of Land Uses in Section 7.6 are permitted only if they are located a minimum of one hundred (100) feet from the Route 27 or Route 196 right-of-way and are screened from view from the road. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5.

7.5.7.3 SPACE AND BULK STANDARDS (SG)

Formatted: Font: 8 pt

| | | |
|------------------|--|--|
| 7.5.7.3.1 | Minimum developable lot area | Residential - 40,000 SF –See 7.5.7.4.1 Nonresidential - 80,000 SF – |
| 7.5.7.3.2 | Minimum net developable lot area per dwelling unit | 40,000 SF – See 7.5.7.4.1 |
| 7.5.7.3.3 | Minimum lot width | State – 200 feet Other – 100 feet |
| 7.5.7.3.4 | Minimum road setback | State - 75 feet Town – 33 feet Private way – 8 feet from the closest edge of the R-O-W |
| 7.5.7.3.5 | Maximum road setback | None |

| | | |
|-------------------|--|---|
| 7.5.7.3.6 | Minimum side property line setback | Residential - 20 feet Nonresidential 30 feet – See 7.5.7.4.4 |
| 7.5.7.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.7.3.87 | Maximum building height | 34 feet – The maximum height for nonresidential or mixed-use buildings may be up to 45 feet in accordance with 7.5.7.4.5. |
| 7.5.7.3.9 | Minimum building height | None |
| 7.5.7.3.10 | Maximum impervious surface area | 30% |
| 7.5.7.3.11 | Minimum shoreland setback | Great ponds & associated wetlands – 100 feet Other resources – 75 feet |
| 7.5.7.3.12 | Minimum shoreland frontage - tidal | Residential – 150 feet Nonresidential – 200 feet |
| 7.5.7.3.13 | Minimum shoreland frontage – non-tidal | Residential – 200 feet Nonresidential – 300 feet |

7.5.7.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (SG)

Formatted: Space After: 6 pt

Uses in the SG District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.7.4.1 New residential lots that are within two hundred feet of the R-O-W of Route 27 must have minimum developable area and developable area per dwelling unit of sixty (60,000) square feet. To compensate for the additional size of these lots, lots created out of the same parent parcel or that are part of the same subdivision and more than two hundred (200) feet from Route 27 can be as small as thirty thousand (30,000) square feet as long as the average lot area for all lots created out of the parent parcel or in the subdivision is at least forty thousand (40,000) square feet.

7.5.7.4.2 Any new nonresidential use with frontage on Route 27 or Route 196 must establish and maintain a landscaped buffer strip at least fifty (50) feet in width along the Route 27/196 frontage. The buffer strip shall meet the requirements of _____.

7.5.7.4.3 Uses identified in 7.6 Table of Land Uses by Note 10 shall comply to the following additional standards:

Formatted: Font: Not Bold

7.5.7.4.3.1 All buildings, structures, parking lots, storage areas/facilities and similar improvements shall be located a minimum of one hundred fifty (150) from the centerline of Routes 27 or 96.

Formatted: Indent: Left: 1", Space After: 6 pt

7.5.7.4.3.2 The Planning Board may allow buildings, structures, parking lots, storage areas/facilities or similar improvements to be located closer to Route 27 or Route 196 if it finds that the shape or topography of the lot, existing vegetation, or the presence of existing or proposed building will effectively buffer these improvement from Route 27 or Route 196.

7.5.7.4.3.3 All improvements shall be located on the lot to minimize their visibility from Route 127 or Route 96.

7.5.7.4.3.4 If any improvements are or will be visible from Route 127 or Route 196, a natural or landscaped buffer meeting the requirements of _____ shall be established and maintained.

7.5.7.4.4 Lots in a residential subdivision approved after the date of adoption of this section must have their required lot frontage on a road other than Route 27 or Route 196 unless the Planning Board determines that this is not feasible given the size, shape or physical characteristics of the parcel being subdivided.

Formatted: Space After: 6 pt

7.5.7.4.5 The minimum side setback for nonresidential uses is thirty (30) feet. If the lot used for nonresidential purposes abuts a lot in residential use, a vegetated buffer strip at least twenty (20) feet in width meeting the requirements of Section ____ shall be established or maintained adjacent to all residential structures.

7.5.7.4.6 The maximum building height for a nonresidential or mixed-use building may exceed thirty-four (34) feet up to a maximum of forty-five (45) feet if all of the following are met:

7.5.7.4.6.1 The increased height of the building is approved in writing by the Fire Chief; and

7.5.7.4.6.2 The area of the building above thirty-four (34) feet is not habitable space; and

7.5.7.4.6.3 The building will setback from all side and rear property lines a minimum of forty-five (45) feet.

7.5.7.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (SG)

Formatted: Space After: 6 pt

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.7.6 OTHER PERFORMANCE STANDARDS (SG)

Formatted: Space After: 6 pt

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.8 Rural Mixed-Use District (RMU)

7.5.8.1 PURPOSE (RMU)

The Rural Mixed-Use District is intended to manage development so that the portions of Boothbay that are away from the coast and the major roads remain primarily open, rural areas with limited development. Small-scale rural and nonresidential enterprises are allowed in these areas over time but are done in a way that maintains the rural landscape.

Formatted: Space After: 6 pt

7.5.8.2 ALLOWED USES (RMU)

The uses allowed in the Rural Mixed-Use (RMU) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5. A portion of the RMU District is located within the watersheds of Adams Pond and the Knickerbocker Lakes and is therefore subject to the provisions of the Watershed Protection Overlay (WPO) District. These provisions modify the allowed uses shown in the Table of Land Uses.

Formatted: Space After: 6 pt

7.5.8.3 SPACE AND BULK STANDARDS (RMU)

| | | |
|-------------------|--|--|
| 7.5.8.3.1 | Minimum developable lot area | Residential-30,000 SF Nonresidential - See 7.5.8.3.1 |
| 7.5.8.3.2 | Minimum net developable lot area per dwelling unit | 25,000 SF |
| 7.5.8.3.3 | Minimum lot width | 125 feet |
| 7.5.8.3.4 | Minimum road setback | State - 75 feet Town - 60 feet Private way - 8 feet from the closest edge of the R-O-W |
| 7.5.8.3.5 | Maximum road setback | None |
| 7.5.8.3.6 | Minimum side property line setback | Residential - 20 feet Nonresidential -See 7.5.8.4.3 |
| 7.5.8.3.7 | Minimum rear property line setback | Residential - 20 feet Nonresidential -See 7.5.8.4.3 |
| 7.5.8.3.8 | Maximum building height | 34 feet |
| 7.5.8.3.9 | Minimum building height | None |
| 7.5.8.3.10 | Maximum impervious surface area | 30% |
| 7.5.8.3.11 | Minimum shoreland setback | Great ponds & associated wetlands - 100 feet Other resources - 75 |

Formatted: Font: 8 pt

| | | feet |
|-------------------|--|---|
| 7.5.8.3.12 | Minimum shoreland frontage - tidal | Residential – 150 feet Nonresidential – 200 feet |
| 7.5.8.3.13 | Minimum shoreland frontage – non-tidal | Residential – 200 feet Nonresidential – 300 feet |

7.5.8.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (RMU)

Uses in the RMU District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.8.4.1 A lot that is used for a nonresidential use must have a minimum developable area of twenty thousand (20,000) square feet and conform to the maximum building area requirement of 7.5.8.4.2.

7.5.8.4.2 The gross floor area of all buildings used for nonresidential purposes shall be less than ten percent (10%) of the developable lot area of the lot on which it is located.

7.5.8.4.3 The side and rear setbacks for buildings used for nonresidential purposes shall be determined by the height of the tallest nonresidential building located within one hundred (100) feet of the property line as follows:

7.5.8.4.3.1 If the tallest building is less than twenty (20) feet high, the minimum side and rear setbacks are forty (40) feet

7.5.8.4.3.1 If the tallest building is less than twenty-five (25) feet high, the minimum side and rear setbacks are fifty (50) feet

7.5.8.4.3.1 If the tallest building is less than thirty (30) feet high, the minimum side and rear setbacks are sixty (60) feet

7.5.8.4.3.1 If the tallest building is less than thirty-four (34) feet high, the minimum side and rear setbacks are seventy (70) feet

7.5.8.4.4 The total number of vehicle trips per day in association with a nonresidential use shall not exceed one hundred (100). Trips by vehicles with six (6) or more wheels shall not exceed ten (10) trips per day.

7.5.8.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (RMU)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.8.6 OTHER PERFORMANCE STANDARDS (RMU)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the

Formatted: Space After: 6 pt

Formatted: Line spacing: Multiple 1.15 li

Formatted: Space After: 6 pt

Formatted: Space After: 6 pt

Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.9 Commercial Corridor District (CC)

7.5.9.1 PURPOSE (CC)

The Commercial Corridor District is intended to allow this portion of the Route 27 corridor to continue to develop as a commercial center including larger-scale commercial uses that are not appropriate in other portions of the Route 27 corridor. Over time, the visual environment of this portion of the corridor improves as do provisions for access and stormwater management.

Formatted: Space After: 6 pt

7.5.9.2 ALLOWED USES (CC)

The uses allowed in the Commercial Corridor (CC) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5. A portion of the CC District is located within the watersheds of Adams Pond and the Knickerbocker Lakes and is therefore subject to the provisions of the Watershed Protection Overlay (WPO) District. These provisions modify the allowed uses shown in the Table of Land Uses.

Formatted: Space After: 6 pt

7.5.9.3 SPACE AND BULK STANDARDS (CC)

| | | |
|-------------------|--|--|
| 7.5.9.3.1 | Minimum developable lot area | 40,000 SF |
| 7.5.9.3.2 | Minimum net developable lot area per dwelling unit | 40,000 SF |
| 7.5.9.3.3 | Minimum lot width | 100 feet |
| 7.5.9.3.4 | Minimum road setback | State - 75 feet Town - 60 feet Private way - 8 feet from the closest edge of the R-O-W |
| 7.5.9.3.5 | Maximum road setback | None |
| 7.5.9.3.6 | Minimum side property line setback | 20 feet |
| 7.5.9.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.9.3.8 | Maximum building height | 50 feet for any portion of the building that meets all setback requirements 34 feet for any portion of the building that does not meet all setback requirements |
| 7.5.9.3.9 | Minimum building height | None |
| 7.5.9.3.10 | Maximum impervious surface area | 60% |

Formatted: Font: 8 pt

7.5.9.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (CC)

Formatted: Space After: 6 pt

Uses in the CC District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.9.4.1 Any new use or development or any activity that expands the gross floor area of an existing building by more than fifty percent (50%) shall establish a landscaped buffer strip along the property line with any public street. The buffer strip shall be a minimum of ten (10) feet in width and shall meet the requirements of _____.

7.5.9.4.1 Any non-residential building or use that is on a lot that abuts a lot that is located in a residential or mixed-use district shall maintain a landscaped buffer strip along that property line in accordance with the provisions of _____. The width of the buffer strip shall be determined by the height of the principal structure closest to the property line. For buildings with a height of twenty (20) feet or less, the width of the buffer strip shall be twenty (20) feet. For buildings taller than twenty (20) feet, the width of the buffer strip shall be the equivalent of the height of the building.

7.5.9.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (CC)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.9.6 OTHER PERFORMANCE STANDARDS (CC)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

Formatted: Space After: 6 pt

Formatted: Space After: 6 pt

7.5.10 Manufacturing/Business District (MB)

7.5.10.1 PURPOSE (MB)

The Manufacturing/Business District is intended to allow the area in and around the current industrial park to continue to develop as a location for a wide range of nonresidential uses. Over time, the type of businesses located in this area evolves into businesses that provide well-paying jobs while expanding the Town’s tax base.

7.5.10.2 ALLOWED USES (MB)

The uses allowed in the Manufacturing/Business (MB) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5.

7.5.10.3 SPACE AND BULK STANDARDS (MB)

| | | |
|-------------------|--|---|
| 7.5.10.3.1 | Minimum developable lot area | 20,000 SF with year-round public water and public sewer otherwise 40,000 SF |
| 7.5.10.3.2 | Minimum net developable lot area per dwelling unit | NA |
| 7.5.10.3.3 | Minimum lot width | 100 feet |
| 7.5.10.3.4 | Minimum road setback | State – 75 feet Town – 8 feet from the edge of the R-O-W of the Industrial Park Road otherwise 33 feet for other Town roads Private way – 8 feet from the closest edge of the R-O-W |
| 7.5.10.3.5 | Maximum road setback | None |
| 7.5.10.3.6 | Minimum side property line setback | 10 feet |
| 7.5.10.3.7 | Minimum rear property line setback | 10 feet |
| 7.5.10.3.8 | Maximum building height | The maximum height of all structures and accessory support equipment shall be 50 feet provided that the building or structure conforms to all setback requirements otherwise 34 feet. This limitation shall |

Formatted: Left

| | | |
|--------------------|---------------------------------|---|
| | | not apply to antennas, chimneys and communication towers. |
| 7.5.10.3.9 | Minimum building height | None |
| 7.5.10.3.10 | Maximum impervious surface area | 100% |

7.5.10.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (MB)

Uses in the MB District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.10.4.1 Buffers - Any non-residential building or use that is on a lot that abuts a lot that is located in a residential or mixed-use district shall maintain a landscaped buffer strip at least forty (40) feet in width along that property line in accordance with the provisions of ____.

7.5.10.4.2 Educational Facilities - Educational Facilities shall be limited to vocational training.

7.5.10.4.3 Function Rooms - Function Rooms where the use includes the participation of persons other than the owner, employees or customers shall be permitted only as an accessory use.

7.5.10.4.4 Access to Residential Lots - Access to residential lots shall not be permitted via Industrial Park Road.

7.5.10.4.5 Sex Related Businesses - Sex Related Businesses shall be located at least 1,000 feet from Route 27 and Pension Ridge Road.

7.5.10.4.6 Existing Sewage Disposal Facilities - Existing properties using subsurface wastewater disposal facilities within the MB District shall be connected to a public sewer when the current sewage disposal system fails if the sewer is located within two hundred (200) feet of the lot .

7.5.10.4.6 Sewage Disposal for New Buildings - New buildings in the MB District shall connect to the public sewer system if the sewer is located within two hundred (200) feet of the lot.

7.5.10.4.7 Temporary Business Housing - The Planning Board may approve the construction of a dwelling unit as an accessory use for short term housing.

Temporary Business Housing shall meet the following standards:

- A. The owners, employees, contractors, and customers of the principal use are the only persons authorized to use the dwelling unit;
- B. Occupancy shall only occur in connection with a project currently being worked on or during negotiations for a future project;
- C. Occupancy per use shall be for a maximum of one year or the duration of the project whichever is longer;
- D. The number of occupants is limited to two adults;
- E. Only one dwelling unit shall be permitted on a lot;
- F. The dwelling unit shall not be in a separate structure; and
- G. Two ways to enter/exit the dwelling unit shall be provided.

7.5.10.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (MB)

Formatted: Font: Not Bold

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.10.6 OTHER PERFORMANCE STANDARDS (MB)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.11 Marine Commercial District (MC)

7.5.11.1 PURPOSE (MC)

The Maritime Commercial District continues to support a variety of marine activities that serve as an employment center for the community. As needed, the marine-related uses expand especially along the waterfront south of School Street where the topography allows for this growth without encroaching on the village. If expansion occurs, development is carried out in a manner that effectively buffers it from the adjacent neighborhood.

7.5.11.2 ALLOWED USES (MC)

The uses allowed in the Marine Commercial (MC) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5.

7.5.11.3 SPACE AND BULK STANDARDS (MC)

| | | |
|--------------------|--|---|
| 7.5.11.3.1 | Minimum developable lot area | Marine and functionally water dependent uses – none Other uses – 20,000 SF |
| 7.5.11.3.2 | Minimum net developable lot area per dwelling unit | 30,000 SF |
| 7.5.11.3.3 | Minimum lot width | 50 feet |
| 7.5.11.3.4 | Minimum road setback | State – 25 feet except from Route 96 (see 7.5.11.4.3) Town – 25 feet |
| 7.5.11.3.5 | Maximum road setback | See 7.5.11.4.3 |
| 7.5.11.3.6 | Minimum side property line setback | 10 feet (See 7.5.11.4.1 and 7.5.11.4.2) |
| 7.5.11.3.7 | Minimum rear property line setback | 20 feet (See 7.5.11.4.1 and 7.5.11.4.2) |
| 7.5.11.3.8 | Maximum building height | See 7.5.11.4.3 |
| 7.5.11.3.9 | Minimum building height | None |
| 7.5.11.3.10 | Maximum impervious surface area | Marine and functionally water dependent use – 70% Other uses – 30% |
| 7.5.11.3.11 | Minimum shoreland setback | Marine related |

Formatted: Left

Formatted: Font: Not Bold

| | | |
|--------------------|--|---|
| | | activities – None Other activities – 25 feet |
| 7.5.11.3.12 | Minimum shoreland frontage - tidal | Residential – 150 feet Nonresidential – 100 feet |
| 7.5.11.3.13 | Minimum shoreland frontage – non-tidal | Residential – 150 feet Nonresidential – 200 feet |

7.5.11.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (MC)

Uses in the MC District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.11.4.1 Any new non-residential building or use including parking or any expansion of an existing nonresidential building or use that increases the gross floor area or impervious surface area by more than fifty percent (50 %) that is on a lot that abuts a lot that is located in a residential or mixed-use district shall maintain a landscaped buffer strip at least forty (40) feet in width along that property line in accordance with the provisions of _____. The Planning Board may reduce the width of the buffer strip for uses that do not have significant impacts on adjacent properties.

7.5.11.4.2 Any new or expanded marine use, or any new non-residential building or use including parking, or any expansion of an existing nonresidential building or use that increases the gross floor area or impervious surface area by more than fifty percent (50 %) that is on a lot that abuts a lot within the district that is used for residential purposes shall maintain a landscaped buffer strip at least twenty (20) feet in width along that property line in accordance with the provisions of _____. The Planning Board may reduce the width of the buffer strip for uses that do not have significant impacts on adjacent properties.

7.5.11.4.3 New buildings or modifications to existing buildings located on lots that front on Route 96 that increase the gross floor area by more than fifty percent (50%) shall be sited to maintain the established pattern of setbacks and height existing on the same side of the street for up to three lots in either direction to the extent feasible with the reasonable use of the site. This requirement shall not apply to marina or maritime activities that require a location close to the shoreline.

7.5.11.4.4 The maximum height of any structure or portion of a structure located within one hundred (100) feet of the centerline of Route 96 shall be limited to thirty-four (34) feet. The maximum height of structures or portions of structures located more than one hundred (100) feet from the centerline of Route 96 shall be limited to thirty-four (34) feet except for structures used for maritime related businesses. The maximum height for any manufacturing facility for a maritime related business, where access to the water is an operational necessity, shall be seventy-five (75) feet. The maximum height for other maritime related businesses

shall be fifty (50) feet. The above height limitations do not apply to chimneys, antennas, and communications towers. Equipment specifically associated with an allowed use may be allowed to exceed the above height limitation with Planning Board approval.

7.5.11.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (MC)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.11.6 OTHER PERFORMANCE STANDARDS (MC)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.13 Water Reservoirs Protection – Route 27 District (WRP-27)

7.5.13.1 PURPOSE (WRP-27)

The Water Reservoirs Protection – Route 27 District includes the area on the easterly side of Route 27 that is within five hundred (500) feet of Adams Pond or associated wetlands. The goal of the district is to provide additional protection of nearshore areas to ensure the preservation of both the quality and quantity of the public water supply. The district standards limit development in this area to environmentally compatible uses while allowing for the development of new, small-scale uses and the reuse or redevelopment of existing developed lots provided that the activities meet the performance standards designed to reduce any potential negative impacts on watershed resources.

7.5.13.2 ALLOWED USES (WRP-27)

The uses allowed in the Water Reservoirs Protection – Route 27 (WRP-27) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5.

7.5.13.3 SPACE AND BULK STANDARDS (WRP-27)

| | | |
|--------------------|--|--|
| 7.5.13.3.1 | Minimum developable lot area | 2 acres except for lots developed prior to 2019 or lots established prior to 2004 |
| 7.5.13.3.2 | Minimum net developable lot area per dwelling unit | 2 acres |
| 7.5.13.3.3 | Minimum lot width | 150 feet |
| 7.5.13.3.4 | Minimum road setback | State - 50 feet Town – 33 feet Private way – 8 feet from the closest edge of the R-O-W |
| 7.5.13.3.5 | Maximum road setback | None |
| 7.5.13.3.6 | Minimum side property line setback | 20 feet |
| 7.5.13.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.13.3.8 | Maximum building height | 34 feet or as approved by the Planning Board in accordance with 7.5.13. |
| 7.5.13.3.9 | Minimum building height | None |
| 7.5.13.3.10 | Maximum impervious surface area | 20% of lot area or as approved by Planning |

Commented [SM1]: Sue increased this number from original document, which had 5%

| | | |
|-------------|---|--|
| | | Board in accordance with 7.5.13.4.4 |
| 7.5.13.3.11 | Maximum area of lot that can be developed | 20%; for established lots <1 AC; PB may allow a greater percentage in accordance with 7.5.13.4.4 |
| 7.5.13.3.12 | Minimum shoreland setback | 100 feet (See 7.5.13.4.1) |
| 7.5.13.3.13 | Minimum shoreland frontage | NA |

Commented [SM2]: Sue increased this number as well

7.5.13.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (WRP-27)

Uses in the WRP-27 District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.13.4.1 Shoreland Setback: The minimum shoreland setback requirement of 7.5.13.3.13 shall not apply to functionally water dependent fixtures owned and operated by a public utility which by functional necessity must be located closer to the water than the minimum setback otherwise allows. Functionally water-dependent fixtures include, but are not limited to, pumping stations, pumps, vaults, and hydrants and structures housing the same.

7.5.13.4.2 Roads and Driveways: New roads and driveways are prohibited except to provide access to permitted uses within the WRP-27 District. Construction of a new road or driveway must be approved by the Planning Board. The Planning Board shall approve such construction only if it determines that the road or driveway will be set back as far as feasible from all shorelines and will be located and designed to minimize the amount of clearing necessary.

7.5.13.4.3 Maintenance or Increase of Impervious Surface Area:

7.5.13.4.3.1 Notwithstanding the provisions of 7.5.13.3, the Planning Board shall allow the amount of impervious surface that exists as of the date of adoption of this ordinance that exceeds the applicable limitation to be maintained and to be improved provided the site conforms to the requirements of the WRP-27 District to the extent reasonable. Improvement of existing impervious surface may include the reconfiguration of the location of the impervious surface.

7.5.13.4.3.2 Notwithstanding the provisions of 7.5.13.3, the Planning Board shall allow the amount of impervious surface that exists as of the date of adoption of this ordinance that exceeds the applicable limitation to be increased provided the site conforms to the requirements of the WPO and the impervious surface area shall not exceed 20% of the lot area. The goal of the Planning Board in allowing such an increase is to minimize the amount of impervious surface and developed area within the WRPD-27 to the maximum extent feasible. In determining what is feasible, the Planning Board shall consider site plan alternatives, the size of the lot, the slope of the land, the potential for soil erosion, the location of structures

on the property relative to streams and water courses, the use of low impact development best management practices in site development and stormwater management, and the presence of an adequate natural vegetative buffer between developed areas and waterways. The Planning Board shall not authorize an expansion of impermeable surface area of existing uses in the Water Reservoirs Protection – Route 27 District if the total impervious surface area of all lot areas located in the WRPD-27 is greater than twenty percent (20%).

7.5.13.4.4 Master Plan Requirement: A master plan shall be required for any development on any lot that is eight (8) acres or more in size or the applicant owns a contiguous lot or lots which, together with the lot proposed for development approval, is eight (8) or more acres in size. The master plan for the overall development of a site (including any contiguous property owned by the applicant) must be submitted to the Planning Board as part of any application for subdivision, planning board, or site plan approval. The Master Plan shall conform to the requirements of the applicable level of review as set forth in Section 5.

7.5.13.4.5 Subsurface Wastewater Disposal Systems: New or replacement subsurface wastewater disposal system shall conform to the following additional requirements:

7.5.13.4.5.1 No substances other than domestic wastewater shall be discharged to any subsurface waste water disposal system or any other means of on-site sewage disposal.

7.5.13.4.5.2 Not more than one thousand (1000) gallons per day of sewage shall be discharged to any subsurface wastewater disposal system.

7.5.13.4.5.3 If a lot is served by an existing subsurface wastewater disposal system that:

- a. is more than twenty-five (25) years old or is of unknown age and the system is located within one hundred (100) feet of the high water line of Adams Pond or the upland edge of any wetland associated with Adams Pond, or
- b. is less than twenty-five (25) years old and the system is located within fifty (50) feet of Adams Pond or the upland edge of any wetland associated with Adams Pond,

the property owner shall enter into a septic system maintenance agreement with the Town as a condition of receiving any Town permits or approvals for modifications or expansions to the principal building(s) on the lot. The maintenance agreement shall set forth a schedule for the periodic pumping of the septic tank and maintenance of the system based upon the typical occupancy of the property and shall be approved by the Plumbing Inspector. The property owner shall be responsible for maintaining written records of the required maintenance and shall provide the records to the Plumbing Inspector upon request.

7.5.13.4.6 Storage of Heating Oil: The following additional performance standards apply to the storage of heating oil:

Commented [SM3]: Water supply buffers and standards for fertilizer/pesticide use (non-residential) are not included. Are those going to be somewhere else?

7.5.13.4.6.1 All new heating oil tanks shall be located a minimum of one hundred fifty (150) feet from the high water line of Adams Pond or the upland edge of any wetland associated with Adams Pond and seventy-five (75) feet from any mapped watershed tributary stream. If the size, shape or physical conditions of the lot make it unreasonable to meet these setbacks, the Code Enforcement Officer may, after consultation with the Boothbay Region Water District, allow the tank to be located closer to the resource provided that all components of the system are located as far from the resource as possible given the physical limitations of the lot.

7.5.13.4.6.2 Any existing single-walled steel heating oil tank that is determined by the CEO to be more than fifteen (15) years old shall be tested once a year using an ultrasonic inspection test (TankSure or similar) and the results of the test provided to the CEO and the Boothbay Region Water District. If the CEO determines, based on the test results, that the tank is deteriorated to the point that leakage or failure could occur within two years, the CEO shall notify the owner of the tank in writing of this determination. The owner of the tank shall replace the tank within one hundred eighty (180 days) of the CEO's determination.

7.5.13.4.7 Storage of Petroleum or Hazardous Liquids: The storage of petroleum products or other hazardous liquids that are a potential threat to the quality of the public water supply in quantities greater than required for normal household use shall occur on an impervious surface. If the storage is more than fifty-five gallons of any material, the storage shall be located within secondary containment with the capacity to hold one hundred percent (100%) of the amount of the stored material.

7.5.13.4.8 Use of Fertilizer: Fertilizer use within one hundred (100) feet of the high water line of Adams Pond and the upland edge of any wetland associated with Adams Pond Lakes and any mapped tributary stream shall be limited to manure or fertilizers containing slow-release nitrogen and zero phosphorous. This limitation shall not apply where there is a naturally vegetated buffer strip adjacent to the resource that meets the water supply buffer requirements and is at least fifty (50) feet in width.

7.5.13.4.9 Use of Pesticides: The following additional performance standards apply to the use of pesticides:

7.5.13.4.9.1 Pesticide use within one hundred (100) feet of the high water line of Adams Pond and the upland edge of any wetland associated with Adams Pond and any mapped tributary stream shall be limited to applications in which the pesticide(s) is injected directly in the plant or adjacent soil. Broadcast application or spraying within this area is not permitted unless specifically approved in writing by the CEO and is limited to hand powered methods.

7.5.13.4.9.2 The standards of the Maine Pesticides Control Board that apply within fifty (50) feet of a water resource shall apply within one hundred (100) feet of the high water line of Adams Pond and the upland edge of any wetland associated with Adams Pond and any mapped tributary stream.

7.5.13.4.10 Reuse or Redevelopment of an Existing Developed Lot: The limits on the size and intensity of a use set forth in the **7.6** Table of Land Uses shall not apply to the reuse or expansion of a building existing as of the date of the adoption of this provision or to the redevelopment of a lot that was improved with one or more buildings and/or structures as of the date of adoption of this provision provided that all the following requirements are met:

7.5.13.4.10.1 The total amount of impervious surface area located within the WRP-27 District after the improvement shall be equal to or less than the total impervious surface area existing as of the date of adoption of this provision;

7.5.13.4.10.2 The property shall be either connected to the public sewer system or served by a subsurface wastewater disposal system that conforms to the requirement of the state subsurface sewage disposal rules in effect at the time of the improvement; and

7.5.13.4.10.3 A stormwater management plan meeting the requirements of XX has or will be implemented.

7.5.13.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (WRP-27)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.13.6 OTHER PERFORMANCE STANDARDS (WRP-27)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.14 Water Reservoirs Protection District (WRP)

7.5.14.1 PURPOSE (WRP)

The Water Reservoirs Protection District includes the area within five hundred feet of Adams Pond and Knickerbocker Lakes and associated wetlands excluding the area included in the WPR-27 District on the east side of Adams Pond. The goal of the district is to provide additional protection of nearshore areas to ensure the preservation of both the quality and quantity of the public water supply. The district standards limit development in this area to environmentally compatible uses.

7.5.14.2 ALLOWED USES (WRP)

The uses allowed in the Water Reservoirs Protection (WRP) District are shown in the Table of Land Uses in Section 7.6. If the use is allowed in the district, the table also indicates if a review is required for the use. If review is required, the procedures and standards for each type of review are set out in Section 5.

7.5.14.3 SPACE AND BULK STANDARDS (WRP)

| | | |
|--------------------|--|---|
| 7.5.14.3.1 | Minimum developable lot area | 4 acres w/o public sewer, 2 acres w/public sewer, except for lots developed prior to 2019 or lots established prior to 2004 |
| 7.5.14.3.2 | Minimum net developable lot area per dwelling unit | 4 acres w/o public sewer, 2 acres w/ public sewer |
| 7.5.14.3.3 | Minimum lot width | 150 feet |
| 7.5.14.3.4 | Minimum road setback | State - 50 feet Town – 33 feet Private way – 8 feet from the closest edge of the R-O-W |
| 7.5.14.3.5 | Maximum road setback | None |
| 7.5.14.3.6 | Minimum side property line setback | 20 feet |
| 7.5.14.3.7 | Minimum rear property line setback | 20 feet |
| 7.5.14.3.8 | Maximum building height | 34 feet |
| 7.5.14.3.9 | Minimum building height | None |
| 7.5.14.3.10 | Maximum impervious surface area | 20% of lot area or as approved by Planning Board in accordance with 7.5.13.4.4 |
| 7.5.14.3.11 | Maximum area of lot that can be developed | 20%; for established |

Commented [SM4]: Sue increased this number from original document, which had 5%

Commented [SM5]: Sue increased this number as well

| | | |
|--------------------|----------------------------|---|
| | | lots <1 AC; PB may allow a greater percentage in accordance with 7.5.13.4.4 |
| 7.5.14.3.12 | Minimum shoreland setback | 100 feet (see 7.5.14.4.1) |
| 7.5.14.3.13 | Minimum shoreland frontage | 200 feet |

7.5.14.4 ZONE SPECIFIC DEVELOPMENT STANDARDS (WRP)

Uses in the WRP District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.14.4.1 Shoreland Setback: The minimum shoreland setback requirement of **7.5.14.3.12** shall not apply to functionally water dependent fixtures owned and operated by a public utility which by functional necessity must be located closer to the water than the minimum setback otherwise allows. Functionally water-dependent fixtures include, but are not limited to, pumping stations, pumps, vaults, and hydrants and structures housing the same.

7.5.14.4.2 Roads and Driveways: New roads and driveways are prohibited except to provide access to permitted uses within the WRP District. Construction of a new road or driveway must be approved by the Planning Board. The Planning Board shall approve such construction only if it determines that the road or driveway will be set back as far as feasible from all shorelines and will be located and designed to minimize the amount of clearing necessary.

7.5.14.4.3 Maintenance or Increase of Impervious Surface Area:

7.5.14.4.3.1 Notwithstanding the provisions of **7.5.14.3**, the Planning Board shall allow the amount of impervious surface that exists as of the date of adoption of this ordinance that exceeds the applicable limitation to be maintained and to be improved provided the site conforms to the requirements of the WRP District to the extent reasonable. Improvement of existing impervious surface may include the reconfiguration of the location of the impervious surface.

7.5.14.4.3.2 Notwithstanding the provisions of **7.5.14.3**, the Planning Board shall allow the amount of impervious surface that exists as of the date of adoption of this ordinance that exceeds the applicable limitation to be increased provided the site conforms to the requirements of the WPO and the impervious surface area shall not exceed 20% of the lot area. The goal of the Planning Board in allowing such an increase is to minimize the amount of impervious surface and developed area within the WRPD to the maximum extent feasible. In determining what is feasible, the Planning Board shall consider site plan alternatives, the size of the lot, the slope of the land, the potential for soil erosion, the location of structures on the property relative to streams and water courses, the use of low impact development best management practices in site development and stormwater management, and the presence of an adequate natural vegetative buffer between

developed areas and waterways. The Planning Board shall not authorize an expansion of impermeable surface area of existing uses in the Water Reservoirs Protection District if the total impervious surface area of all lot areas located in the WRPD of that lake is greater than twenty percent (20%).

7.5.13.4.4 Master Plan Requirement: A master plan shall be required for any development on any lot that is eight (8) acres or more in size or the applicant owns a contiguous lot or lots which, together with the lot proposed for development approval, is eight (8) or more acres in size. The master plan for the overall development of a site (including any contiguous property owned by the applicant) must be submitted to the Planning Board as part of any application for subdivision, planning board, or site plan approval. The Master Plan shall conform to the requirements of the applicable level of review as set forth in Section 5.

7.5.13.4.5 Subsurface Wastewater Disposal Systems: New or replacement subsurface wastewater disposal system shall conform to the following additional requirements:

7.5.13.4.5.1 No substances other than domestic wastewater shall be discharged to any subsurface waste water disposal system or any other means of on-site sewage disposal.

7.5.13.4.5.2 Not more than one thousand (1000) gallons per day of sewage shall be discharged to any subsurface wastewater disposal system.

7.5.13.4.5.3 If a lot is served by an existing subsurface wastewater disposal system that:

- a. is more than twenty-five (25) years old or is of unknown age and the system is located within one hundred (100) feet of the high water line of Adams Pond or Knickerbocker Lakes or the upland edge of any wetland associated with Adams Pond or Knickerbocker Lakes, or
- b. is less than twenty-five (25) years old and the system is located within fifty (50) feet of Adams Pond or Knickerbocker Lakes or the upland edge of any wetland associated with Adams Pond or Knickerbocker Lakes,

the property owner shall enter into a septic system maintenance agreement with the Town as a condition of receiving any Town permits or approvals for modifications or expansions to the principal building(s) on the lot. The maintenance agreement shall set forth a schedule for the periodic pumping of the septic tank and maintenance of the system based upon the typical occupancy of the property and shall be approved by the Plumbing Inspector. The property owner shall be responsible for maintaining written records of the required maintenance and shall provide the records to the Plumbing Inspector upon request.

7.5.13.4.6 Storage of Heating Oil: The following additional performance standards apply to the storage of heating oil:

7.5.13.4.6.1 All new heating oil tanks shall be located a minimum of one hundred fifty (150) feet from the high water line of Adams Pond or Knickerbocker Lakes

Commented [SM6]: Water supply buffers and standards for fertilizer/pesticide use (non-residential) are not included. Are those going to be somewhere else?

or the upland edge of any wetland associated with Adams Pond or Knickerbocker Lakes and seventy-five (75) feet from any mapped watershed tributary stream. If the size, shape or physical conditions of the lot make it unreasonable to meet these setbacks, the Code Enforcement Officer may, after consultation with the Boothbay Region Water District, allow the tank to be located closer to the resource provided that all components of the system are located as far from the resource as possible given the physical limitations of the lot.

7.5.13.4.6.2 Any existing single-walled steel heating oil tank that is determined by the CEO to be more than fifteen (15) years old shall be tested once a year using an ultrasonic inspection test (TankSure or similar) and the results of the test provided to the CEO and the Boothbay Region Water District. If the CEO determines, based on the test results, that the tank is deteriorated to the point that leakage or failure could occur within two years, the CEO shall notify the owner of the tank in writing of this determination. The owner of the tank shall replace the tank within one hundred eighty (180 days) of the CEO's determination.

7.5.13.4.7 Storage of Petroleum or Hazardous Liquids: The storage of petroleum products or other hazardous liquids that are a potential threat to the quality of the public water supply in quantities greater than required for normal household use shall occur on an impervious surface. If the storage is more than fifty-five gallons of any material, the storage shall be located within secondary containment with the capacity to hold one hundred percent (100%) of the amount of the stored material.

7.5.13.4.8 Use of Fertilizer: Fertilizer use within one hundred (100) feet of the high water line of Adams Pond or Knickerbocker Lakes and the upland edge of any wetland associated with Adams Pond Lakes or Knickerbocker Lakes and any mapped tributary stream shall be limited to manure or fertilizers containing slow-release nitrogen and zero phosphorous. This limitation shall not apply where there is a naturally vegetated buffer strip adjacent to the resource that meets the water supply buffer requirements and is at least fifty (50) feet in width.

7.5.13.4.9 Use of Pesticides: The following additional performance standards apply to the use of pesticides:

7.5.13.4.9.1 Pesticide use within one hundred (100) feet of the high water line of Adams Pond or Knickerbocker Lakes and the upland edge of any wetland associated with Adams Pond or Knickerbocker Lakes and any mapped tributary stream shall be limited to applications in which the pesticide(s) is injected directly in the plant or adjacent soil. Broadcast application or spraying within this area is not permitted unless specifically approved in writing by the CEO and is limited to hand powered methods.

7.5.13.4.9.2 The standards of the Maine Pesticides Control Board that apply within fifty (50) feet of a water resource shall apply within one hundred (100) feet of the high water line of Adams Pond or Knickerbocker Lakes and the upland edge of any wetland associated with Adams Pond or Knickerbocker Lakes and any mapped tributary stream.

7.5.13.4.10 Standards for Youth Camps:

7.5.14.5 PERFORMANCE STANDARDS FOR SPECIFIC USES (WRP)

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.14.6 OTHER PERFORMANCE STANDARDS (WRP)

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.15 Wellhead Protection District (WP)

7.5.15.1 PURPOSE

The Wellhead Protection District includes the area within 500 feet of the former public water supply wells for the East Boothbay water system. This area remains primarily undeveloped and new development is limited to uses and activities that will not create a threat of contamination or a significant reduction of the groundwater.

7.5.1.2 ALLOWED USES

7.5.15.3 SPACE AND BULK STANDARDS

7.5.15.4 ZONE SPECIFIC DEVELOPMENT STANDARDS

Uses in the WP District must conform to the following standards in addition to the Space and Bulk Standards:

7.5.15.5 PERFORMANCE STANDARDS FOR SPECIFIC USES

Section 11 Performance Standards for Specific Uses establishes additional requirements for a group of specific uses. If any of those uses are proposed, the activity must comply with those standards in addition to the standards of this section.

7.5.15.6 OTHER PERFORMANCE STANDARDS

In addition to the standards of this section, activities must also comply with the applicable standards of the General Performance Standards of Section 8, the Environmental Performance Standards of Section 9, and the Good Neighbor Performance Standards of Section 10.

7.5.16 Resource Protection District (RP)

7.5.16.1 PURPOSE

7.5.16.2 ALLOWED USES

7.5.16.3 SPACE AND BULK STANDARDS

7.5.16.4 ZONE SPECIFIC DEVELOPMENT STANDARDS

7.5.16.5 PERFORMANCE STANDARDS FOR SPECIFIC USES

7.5.16.6 OTHER PERFORMANCE STANDARDS

7.5.17 Shoreland Overlay District (SO)

7.5.17.1 PURPOSE

7.5.17.2 ALLOWED USES

7.5.17.3 SPACE AND BULK STANDARDS

7.5.17.4 ZONE SPECIFIC DEVELOPMENT STANDARDS

7.5.17.5 PERFORMANCE STANDARDS FOR SPECIFIC USES

7.5.17.6 OTHER PERFORMANCE STANDARDS

7.5.18 Watershed Protection Overlay District (WPO)

7.5.18.1 PURPOSE

7.5.18.2 ALLOWED USES

The uses, review requirements and size limitations for the underlying zoning districts shall apply unless the use, review requirement or size limitation for a specific use in a specific zoning district are modified by the following provisions. If service by the public sewer system is required by the underlying district standards, that requirement is not modified by these provisions. The zoning districts within which each limitation applies are shown in parenthesis:

7.5.18.2.1 The following uses are not allowed in the WPO District even if they are allowed in the underlying district:

- Commercial Fishing Activities (R,BVMU,RMU,CC,MB)
- Mineral Extraction (RMU,CC,MB)
- Mobile Home Park (R,RMU)
- Amusement Park (CC)
- Auto, Rec. Vehicle Sales & Service (RMU)
- Automobile Repair (RMU,MB)
- Automobile Service Station
- Bus Terminal (CC)
- Campground (R,RMU,CC)

- Conference/Convention Center (R, BVF,BVMU,CC)
- Hotel/Motel (BVF,BVMU,CC)
- Indoor Theater (BVC,BVF,BVMU,CC)
- Kennel (RMU,CC)
- Laundromat (BVC,BVF,BVMU,CC)
- Marina (RMU)
- Maritime Activities (R,RMU,CC,MB)
- Parking Facility (BVC,BVF,BVMU,CC,MB)
- Recreational Facility (R, BVC,BVF,BVMU,CC)
- Recreational Facility (R,BVF,BVMU,RMU,CC)
- Retail Fuel Distributor (MB)
- Adult-Use Marijuana Establishments (CC,MB)
- Shopping Center (CC)
- Small Engine Repair & Sales (RMU,CC,MB)
- Manufacturing (BVMU,RMU,MB)
- Recycling Operations (BVMU,MB)
- Sawmill (RMU,MB)
- Terminal for Bulk Oil and Gas (CC,MB)
- Trucking Distribution Terminal (MB)
- Warehousing (BVMU,RMU,MB)
- Waste Disposal/Landfill (BVF)
- Waste Transfer Facility (BVF)
- Wholesale Business (RMU,CC,MB)
- Wood Processing (RMU,MB)
- Cemetery (R,BVC,BVF,BVMU,RMU,CC)

7.5.18.2.2 The following uses are allowed in the WPO District with review but only if connected to the public sewer system:

- Dwelling, Multifamily (R,BVC,BVF,BVMU,RMU,CC)
- Dwelling, Townhouse (R,BVC,BVF,BVMU,RMU,CC)
- Dwelling Unit in a Mixed-Use Building (R,BVC,BVF,BVMU,RMU,CC)
- Housing for Seasonal Workers (R,BVC,BVF,BVMU,RMU,CC,MB)
- Lodging House (R,BVC,BVF,BVMU,CC)
- Retirement Facility (R,BVC,BVF,BVMU,RMU,CC)
- Bed & Breakfast (R,BVC,BVF,BVMU,CC)
- Day Care Center (R,BVC,BVF,BVMU,RMU,CC,MB)
- Inn (BVC,BVF,BVMU,RMU,CC)
- Nursing Home (BVC,BVF,BVMU,CC)

7.5.18.2.3 The following uses are allowed in the WPO District with review but only if connected to the public sewer system subject to the limits for small-scale limited uses:

- Agricultural Packaging and Storage (R,BVF,BVMU,RMU,CC,MB)

- Agricultural Product Processing (R,BVF,BVMU,RMU,CC,MB)
- Restaurant (R)

7.5.18.2.4 The following uses are allowed in the WPO District with review but only if connected to the public sewer system subject to the limits for medium-scale limited uses:

- Aquaculture (Land support for) (R,BVMU,RMU,CC,MB)
- Congregate Housing/Assisted Living (R,BVC,BVF,BVMU,CC)
- Funeral Home (BVF,BVMU,CC)
- Laboratory, Research Facility (BVC,BVF,BVMU,RMU,CC,MB)
- Medical Facilities (BVC,BVF,BVMU,CC)
- Neighborhood Store (BVC,BVF,BVMU,CC)
- Restaurant (BVC,BVF,BVMU,CC,MB)
- Retail Business (BVC,BVF,BVMU,CC,MB)
- Veterinary Hospital (BVF,BVMU,RMU,CC)
- Church, Parish House, Place of Worship (R,BVC,BVF,BVMU,RMU,CC)
- Community Center, Club (R,BVC,BVF,BVMU,CC,)
- Educational Facility other than the Coastal Maine Botanical Garden which is subject to a consent decree with the Town (R,BVC,BVF,BVMU,CC)
- Library (R,BVC,BVF,BVMU,CC)
- Museum (R,BVC,BVF,BVMU,CC)
- Public Facility (R,BVC,BVF,BVMU,RMU,CC,MB)

7.5.18.2.5 The following uses are allowed in the WPO District with review subject to the limits for small-scale limited uses:

- Roadside Stand (BVC,BVF,BVMU,RMU,CC)
- Sex Related Business (MB)

7.5.18.2.6 The following uses are allowed in the WPO District with review subject to the limits for medium-scale limited uses:

- Neighborhood Store (BVC,BVF,BVMU,CC)
- Offices; Business, Professional (BVC,BVF,BVMU,RMU,CC)
- Service Business (BVC,BVF,BVMU,RMU,CC,MB)
- Storage Facility/Structure (BVMU,RMU,MB)
- Firewood Processing (RMU,CC,MB)

7.5.18.2.7 The following uses are allowed in the WPO District with review by the CEO:

- Agriculture/Farming (R,BVC,BVF,BVMU,RMU,CC,MB)
- Animal Breeding or Care (R,CC,MB)
- Clearing of Vegetation (R,BVC,BVF,BVMU,RMU,CC,MB)
- Forest Management Activities (R,BVC,BVF,BVMU,RMU,CC,MB)

7.5.18.3 SPACE AND BULK STANDARDS

7.5.18.4 ZONE SPECIFIC DEVELOPMENT STANDARDS

7.5.18.5 PERFORMANCE STANDARDS FOR SPECIFIC USES

7.5.18.6 OTHER PERFORMANCE STANDARDS

7.6 Table of Land Uses

The following table establishes the uses that are allowed in each zoning district. For each use, its status in a particular zone is indicated by one of the following designations:

- N means the use is not allowed in that zone
- Y means that the use is allowed and does not need a permit
- C means that the use is allowed and that it needs review and approval by the Code Enforcement Officer in accordance with Section 6
- PR means that the use is allowed and that it needs review and approval. Based on the criteria set out in Section 5 and the specifics of a project, the review could be Site Plan Review, Planning Board Review, or Code Enforcement Officer Review
- SD means that the use requires review and approval by the Planning Board under the standards for subdivisions
- MH means the use requires review and approval by the Planning Board under the standards for mobile home parks
- NA means not applicable

If a use is not specifically listed in the Table of Land Uses and the Planning Board determines that it is substantially similar to and compatible with a use that is listed in the Table of Land Uses, it shall be regulated in the same manner as such use.

The Watershed Protection Overlay (WPO) District is an overlay district that modifies the uses allowed in the districts or portions of districts covered by the overlay. The WPO district overlays all or a portion of the following districts:

- R
- BVC
- BVF
- BVMU
- RMU
- CC
- MB
- WRP-27
- WRP

Formatted: Font: 12 pt

Formatted: Font: 12 pt

Formatted: Justified, Indent: Left: 0", First line: 0"

Formatted: Font: 12 pt

Formatted: Font: 12 pt

Formatted: Font: 12 pt

The modifications to the allowed uses set forth in the following table are listed in **7.5.18**. The modifications to the allowed uses listed in **7.5.18** supersede the indications in the following table.

Legend

The column headings in the table identify the various land use districts using the following abbreviations:

- **Residential Districts**
 - R Residential District
 - R-C Coastal Residential District
- **Mixed Use Districts**
 - BVC Boothbay Village Center District
 - BVF Boothbay Village Fringe District
 - BVMU Boothbay Village Mixed-Use District
 - EBV East Boothbay Village District
 - SG Scenic Gateway District
 - RMU Rural Mixed-Use District
- **Commercial – Industrial Districts**
 - CC Commercial Corridor District
 - MB Manufacturing/Business District
 - MC Marine Commercial District
- **Natural Resource Districts**
 - RP Resource Protection District
 - WRP Water Reservoirs Protection District
 - WP Wellhead Protection District

| USE/ACTIVITY - DISTRICT | R | R-C | BVC | BVF | BVMU | EBV | SG | RMU | CC | MB | MC | WRP-27 | WRP | WP | RP |
|---|-----------------|-----------------|-----|-----|-----------------|-----------------|------------------|--------------|-----------------|----|----|----------------|----------------|----|----|
| RURAL - RESOURCE - AGRICULTURAL USES | | | | | | | | | | | | | | | |
| Agricultural Packaging and Storage | PR ¹ | N | N | PR | PR ⁶ | N | PR ¹⁰ | PR | PR | C | PR | N | N | | |
| Agricultural Product Processing | PR ¹ | N | N | PR | PR ⁶ | N | PR ¹⁰ | PR | PR | C | PR | N | N | | |
| Agriculture/Farming | PR | N | Y | Y | Y | Y | Y | Y | Y | Y | Y | N | N | | |
| Animal Breeding or Care | PR ³ | N | N | N | N | PR | PR | C | C | C | N | N | N | | |
| Farm Stand | C ¹ | C ¹ | C | C | C | C ¹ | C ² | C | C | C | C | C ¹ | C ¹ | | |
| Aquaculture (Land support for) | PR ⁴ | PR ⁴ | N | N | PR | PR ⁴ | PR ¹⁰ | PR | PR | C | PR | N | N | | |
| Commercial Fishing Activities | PR | PR | N | N | PR | C | C | C | C | C | C | N | N | | |
| Firewood Processing | N | N | N | N | N | N | PR ¹⁰ | PR | PR | PR | N | N | N | | |
| Mineral Extraction | N | N | N | N | N | N | PR ¹⁰ | PR | PR | PR | N | N | N | | |
| Timber Harvesting | C | C | N | C | C | N | C | C | C | C | N | PR | PR | | |
| RESIDENTIAL USES | | | | | | | | | | | | | | | |
| Accessory Apartment | C | C | C | C | C | C | C | C | C | N | C | C | C | | |
| Congregate Housing/- Assisted Living | PR | PR | PR | PR | PR ⁶ | PR | N | N | PR ⁶ | N | N | N | N | | |
| Dwelling, Multifamily | PR | PR | PR | PR | PR ⁶ | PR | PR ¹⁰ | PR | PR ⁶ | N | N | N | N | | |
| Dwelling, One Family | C | C | C | C | C | C | C | C | C | N | N | C | C | | |

Formatted: Highlight

Commented [M7]: Comp Plan says only 1 and 2 family

Commented [M8]: Comp Plan talks about imited residential

Commented [M9]: Comp Plan says only 1 and 2 family

| USE/ACTIVITY - DISTRICT | R | R-C | BVC | BVF | BVMU | EBV | SG | RMU | CC | MB | MC | WRP-27 | WRP | WP | RP |
|---------------------------------------|----|-----|-----------------|-----------------|-------------------|-----------------|------------------|-----|-----------------|----|----|----------------------|--------------------|----|----|
| Dwelling, Two Family | C | C | C | C | C | C | C | C | C | N | N | N | N | | |
| Dwelling, Townhouse | PR | PR | PR | PR | PR ⁶ | PR | PR ¹⁰ | PR | PR ⁶ | N | N | N | N | | |
| Dwelling Unit in a Mixed-Use Building | PR | PR | PR | PR | PR ⁶ | PR | PR | PR | PR ⁶ | N | N | PR | N | | |
| Housing for Seasonal Workers | PR | PR | PR ³ | PR ³ | PR ⁶ | PR | PR | PR | PR | PR | PR | PR ^{2,6,12} | PR ^{3,13} | | |
| Lodging House | PR | PR | PR ³ | PR ³ | PR ^{3,6} | PR ³ | N | N | PR ⁶ | N | PR | N | N | | |
| Mobile Home Park | MH | N | N | N | N | N | MH | MH | N | N | N | N | N | | |
| Retirement Facility | PR | PR | PR ³ | PR ³ | PR ^{3,6} | PR ³ | N | N | PR ⁶ | N | N | N | N | | |
| Temporary Business Housing | N | N | N | N | N | N | N | N | PR | PR | PR | N | N | | |
| COMMERCIAL USES | | | | | | | | | | | | | | | |
| Amusement Park | N | N | N | N | N | N | N | N | PR | N | N | N | N | | |
| Auto, Rec. Vehicle Sales & Service | N | N | N | N | N | N | N | PR | N | N | N | N | N | | |
| Automobile Repair | N | N | N | N | N | N | N | PR | N | C | N | N | N | | |
| Automobile Service Station | N | N | N | N | N | N | N | N | N | N | N | N | N | | |
| Bed & Breakfast | PR | PR | PR | PR | PR ⁶ | PR | PR | PR | PR | N | PR | PR ^{3,12} | N | | |
| Bus Terminal | N | N | N | N | N | N | N | N | PR | N | N | N | N | | |
| Campground | PR | N | N | N | N | N | PR ¹⁰ | PR | PR | N | N | N | N | | |

Commented [M10]: Comp Plan

Formatted: Right: -0.39", Tab stops: 8.63", Left, Position: Horizontal: -0.29", Relative to: Column

Commented [M11]: Should this be allowed when other residential uses are not

Formatted: Superscript

Formatted: Superscript

| USE/ACTIVITY/DIS TRICT | R | R-C | BVC | BVF | BVMU | EBV | SG | RMU | CC | MB | MC | WRP-27 | WRP | WP | RP |
|-------------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----|------------------|-----|----|----------------|----|----------------------|-----------------|----|----|
| Car Wash | N | N | N | N | N | N | N | N | N | N | N | N | N | | |
| Conference/Convention Center | PR ⁵ | PR ⁵ | N | PR | PR ⁶ | N | N | N | PR | N | N | N | N | | |
| Day Care Center | PR ³ | PR ³ | C | C | C | C | C | C | C | C ⁹ | C | PR ^{2,6,12} | N | | |
| Flea Market/Tent Sale | N | N | C ⁸ | N | N | N | N | PR | PR | N | N | N | N | | |
| Funeral Home | N | N | N | PR ⁶ | PR ⁶ | N | N | N | PR | N | N | N | N | | |
| Gambling | N | N | N | N | N | N | N | N | N | PR | N | N | N | | |
| Home Occupation | C | C | C | C | C | C | C | C | C | N | C | C | C | | |
| Home Business | PR | PR | PR | PR | PR | PR | PR | PR | PR | N | PR | PR ² | PR ¹ | | |
| Hotel/Motel | N | N | N | PR | PR ⁶ | N | N | N | PR | N | PR | N | N | | |
| Indoor Theater | N | N | PR | PR | PR ⁶ | N | N | N | PR | N | N | N | N | | |
| Inn | N | N | PR | PR | PR ⁶ | PR | PR | | | | | N | N | | |
| Junkyard | N | N | N | N | N | N | N | N | N | N | N | N | N | | |
| Kennel | N | N | N | N | N | N | PR ¹⁰ | PR | PR | N | N | N | N | | |
| Laboratory, Research Facility | N | N | PR ² | PR | PR ⁶ | PR | PR ¹⁰ | PR | PR | C | PR | N | N | | |
| Laundromat | N | N | PR ² | PR | PR ⁶ | N | N | N | PR | N | N | N | N | | |
| Marina | N | PR | N | N | N | PR | N | PR | N | N | PR | N | N | | |

Commented [M12]: Should they be allowed somewhere

Commented [M13]: Should all be required to be connected to the public sewer

| USE/ACTIVITY - DISTRICT | R | R-C | BVC | BVF | BVMU | EBV | SG | RMU | CC | MB | MC | WRP-27 | WRP | R | RP |
|------------------------------------|-----------------|-----------------|-----|-----|-----------------|-------------------------------|------------------|-----|-----------------|----|-----------------|----------------------|----------------|---|----|
| Maritime Activities | PR | PR | N | N | N | PR | PR ¹⁰ | PR | PR | C | PR | N | N | | |
| Medical Facilities | N | N | PR | PR | PR ⁶ | PR | N | N | PR | N | PR | PR ^{2,6,12} | N | | |
| Neighborhood Store | PR ¹ | PR ¹ | PR | PR | PR | PR | PR | N | PR | N | PR | PR ^{2,12} | N | | |
| Nursing Home | PR | N | PR | PR | PR ⁶ | N | N | N | PR ⁶ | N | N | N | N | | |
| Offices; Business, Professional | PR ² | PR ² | PR | PR | PR | PR | PR | PR | PR | C | PR | PR ^{2,12} | N | | |
| Parking Facility | N | N | PR | PR | PR | PR | N | N | PR | C | PR | N | N | | |
| Recreational Facility - Indoor | PR ² | N | PR | PR | PR ⁶ | N | PR ¹⁰ | N | PR | N | N | N | N | | |
| Recreational Facility - Outdoor | PR ² | N | N | PR | PR | N | PR ¹⁰ | PR | PR | N | N | N | N | | |
| Restaurant | PR ² | N | PR | PR | PR ⁶ | PR ⁴ ₁₁ | PR | N | PR | PR | PR ² | PR ^{2,12} | N | | |
| Retail Business | N | N | PR | PR | PR | PR ³ ₁₁ | PR | N | PR | PR | PR ² | PR ^{2,12} | N | | |
| Retail Fuel Distributor | N | N | N | N | N | N | N | N | N | PR | N | N | N | | |
| Adult-Use Marijuana Establishments | N | N | N | N | N | N | N | N | PR | PR | N | N | N | | |
| Roadside Stand | C ¹ | C ¹ | C | C | C | C ¹ | C ² | C | C | N | C | C ¹ | C ¹ | | |
| Service Business | PR ² | PR ¹ | PR | PR | PR | PR | PR | PR | PR | C | PR ⁵ | PR ^{2,12} | N | | |
| Sex Related Business | N | N | N | N | N | N | N | N | N | Y | N | N | N | | |

- Formatted: Font: (Default) Times New Roman
- Formatted: Font: (Default) Times New Roman, Superscript
- Formatted: Font: (Default) Times New Roman
- Formatted: Font: (Default) Times New Roman, Superscript
- Formatted: Font: (Default) Times New Roman
- Formatted: Font: (Default) Times New Roman, Superscript
- Formatted: Font: (Default) Times New Roman
- Formatted: Font: (Default) Times New Roman, Superscript
- Formatted: Font: (Default) Times New Roman
- Formatted: Font: (Default) Times New Roman, Superscript
- Formatted: Font: (Default) Times New Roman, Superscript

| USE/ACTIVITY - DISTRICT | R | R-C | BVC | BVF | BVMU | EBV | SG | RMU | CC | MB | MC | WRP-27 | WRP | WP | RP |
|---|----|-----|-----|-----|-------------------|-----|--------------------|-----|-----------------|----|----|--------|-----|----|----|
| Shopping Center | N | N | N | N | N | N | N | N | PR | N | N | N | N | | |
| Small Engine Repair & Sales | N | N | N | N | N | N | PR ¹⁰ | PR | PR | C | N | N | N | | |
| Storage Facility/Structure | N | N | N | N | PR | N | PR ^{7,10} | PR | N | C | N | N | N | | |
| Veterinary Hospital | N | N | N | PR | PR ⁶ | N | PR | PR | PR | N | N | N | N | | |
| INDUSTRIAL – MANUFACTURING – DISTRIBUTION USES | | | | | | | | | | | | | | | |
| Communications Tower | PR | PR | N | PR | PR | N | PR | PR | PR | PR | PR | PR | PR | | |
| Manufacturing | N | N | N | N | PR ⁶ | N | PR ¹⁰ | PR | N | C | PR | N | N | | |
| Recycling Operations | N | N | N | N | PR ^{3,6} | N | N | N | N | C | N | N | N | | |
| Sawmill | N | N | N | N | N | N | PR ¹⁰ | PR | N | C | N | N | N | | |
| Terminal for Bulk Oil and Gas | N | N | N | N | N | N | N | N | PR | PR | N | N | N | | |
| Trucking Distribution Terminal | N | N | N | N | N | N | N | N | N | C | N | N | N | | |
| Warehousing | N | N | N | N | PR ⁶ | N | PR ¹⁰ | PR | N | C | PR | N | N | | |
| Waste Disposal/Landfill | N | N | N | PR | N | N | N | N | N | N | N | N | N | | |
| Waste Transfer Facility | N | N | N | PR | N | N | N | N | N | N | N | N | N | | |
| Wholesale Business | N | N | N | N | N | N | PR ¹⁰ | PR | PR ⁷ | C | N | N | N | | |
| Wood Processing | N | N | N | N | N | N | PR ¹⁰ | PR | N | C | N | N | N | | |

Commented [M14]: Existing operation?

Commented [M15]: Note 8?

| INSTITUTIONAL USES | | | | | | | | | | | | | | | |
|--|-----------------|-----------------|-----|-----|-----------------|-----------------|----|-----|----|----|----|-----------------|-----------------|----|----|
| USE/ACTIVITY - DISTRICT | R | R-C | BVC | BVF | BVMU | EBV | SG | RMU | CC | MB | MC | WRP-27 | WRP | WP | RP |
| Cemetery | PR | N | Y | Y | Y | Y | Y | Y | PR | N | PR | N | N | | |
| Church, Parish House, Place of Worship | PR | PR | PR | PR | PR ⁶ | PR | PR | PR | PR | N | PR | N | N | | |
| Community Center, Club | PR | PR | PR | PR | PR ⁶ | PR | PR | N | PR | N | N | N | N | | |
| Educational Facility | PR ³ | PR ² | PR | PR | PR ⁶ | PR ³ | PR | N | PR | N | N | N | N | | |
| Library | PR ³ | N | PR | PR | PR ⁶ | PR | N | N | PR | N | N | N | N | | |
| Museum | PR ³ | N | PR | PR | PR ⁶ | PR | N | N | PR | N | N | N | N | | |
| Public Facility | PR | PR | PR | PR | PR ⁶ | PR | PR | PR | PR | PR | PR | PR ² | PR ² | | |
| Youth Camp | PR | PR | N | N | N | N | PR | PR | N | N | N | N | PR | | |
| Clearing of Vegetation | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | C | C | | |
| Dock - Temporary | PR | PR | NA | NA | NA | PR | PR | PR | NA | NA | PR | N | PR | | |
| Dock - Permanent | PR | PR | NA | NA | NA | PR | PR | PR | NA | NA | PR | N | PR | | |
| Earth Moving/Filling <50 cubic yards | C | C | C | C | C | C | C | C | C | C | C | C | C | | |
| Earth Moving/Filling >50 yards | PR | PR | PR | PR | PR | PR | PR | PR | PR | PR | PR | PR | PR | | |
| Essential Services | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | | |
| Forest Management Activities | Y | Y | Y | Y | Y | Y | Y | Y | Y | Y | NA | C | C | | |

| USE/ACTIVITY - DISTRICT | R | R-C | BVC | BVF | BVMU | EBV | SG | RMU | CC | MB | MC | WRP-27 | WRP | WP | RP |
|---|----------|------------|------------|------------|-------------|------------|------------------|------------|-----------|-----------|-----------|---------------|------------|-----------|-----------|
| Mineral Exploration | N | N | N | N | N | N | Y | Y | Y | Y | NA | N | N | | |
| Individual Private Campsite | C | C | N | N | N | N | Y ¹⁰ | Y | N | N | N | N | N | | |
| Sign | C | C | C | C | C | C | C | C | C | C | C | C | C | | |
| Wharf/Pier | PR | PR | NA | NA | NA | PR | PR | PR | NA | NA | PR | N | PR | | |
| Wind Turbines - Up to 60 feet in height | PR | PR | PR | PR | PR | PR | PR | PR | PR | C | PR | PR | PR | | |
| Wind Turbines - Over 60 feet in height | N | N | N | PR | N | N | PR ¹⁰ | PR | PR | PR | PR | PR | PR | | |
| Use similar to uses "permitted with CEO Review" – C | C | C | C | C | C | C | C | C | C | C | C | C | C | | |
| Use similar to uses "permitted with review" – PR | PR | PR | PR | PR | PR | PR | PR | PR | PR | PR | PR | PR | PR | | |

Notes to the Table of Land Uses:

1. Only very small-scale limited uses
2. Only very small and small-scale limited uses
3. Only very small, small and medium-scale limited uses
4. Only very small, small, medium and larger-scale limited uses
5. Only as an accessory to an existing nonconforming hotel/motel
6. Allowed only if served by the public sewer system
7. All storage shall occur completely inside of a building
8. Allowed only on the Town Common in accordance with the provisions of the Administrative Code
9. Allowed only as an accessory use to an allowed use
10. Allowed only if the use and development conforms to the Zone Specific Development Standards of **7.5.7.4**
11. Only on lots that front on Ocean Point Road or School Street
12. The size and intensity limits shall not apply to the reuse or expansion of an existing building or to the redevelopment of a lot containing one or more buildings as of the date of adoption of this section provided that the reuse, expansion or redevelopment meets the standards of **X.X.X**
13. Allowed as reuse of an existing building only if served by the public sewer system or a subsurface wastewater disposal system meeting current state requirements as of the date of reuse

Formatted: Font: Not Bold

Formatted: Highlight

Formatted: Highlight

PUNCH LIST

- Review how height is measured
- Definition of developable lot area
- Definition of impervious surface area
- Treatment of timber harvesting
- Housing for seasonal workers
- Review definition of service businesses

- How to treat mobile food trucks, etc.
- Review definitions of junkyards and recycling facilities
- Where does the YMCA fit
- Treatment of accessory uses

Formatted: Not Strikethrough